



Flood light - 50W

Model Number: LED-1571

Features:

- ▶ Solid construction die-cast aluminum body
- ▶ UV stabilized powder coated finish
- ▶ UL and CUL listed for wet locations
- ▶ Optional optical lenses available
- ▶ Versatile mounting choises
- ▶ Optional photo control
- ▶ Finish ©C Bronze / Silver / Black

**LED-1571-U
(U-Bracket mount)****LED-1571-SFB
(Slip-fitter mount)**4350
lm87
lm/W75+
Ra**Specification****LED-1571-U****LED-1571-SFB****Optical Information**

| | |
|-------------------------|---------|
| Color Temperature | 4700K |
| Lumen Output (lm) | 4350 |
| Bean Angle | 120° |
| CRI | 75+ |
| Lumen Maintenance (L70) | 50,000h |

Environmental Factor

| | |
|-----------------------|---------------|
| Starting Temperature | -40°C |
| Operating Temperature | -40°C ~ +50°C |
| Protectection Level | IP65 |
| Warranty | 3 years |

Mechanical Information

| | | |
|------------------------|----------------------|---------|
| Dimensions (W x L x H) | 180mm x 255mm x 69mm | |
| Weight | 2.45kg | 1.88kg |
| Mounting | Surface Mount | Various |

Electrical Information

| | |
|-------------------|----------|
| Input Voltage | 120-277V |
| Power Consumption | 50W |
| LED Source | CREE |





Flood light - 50W

Model Number: LED-1571



Dimensions

in mm

LED-1571-U



LED-1571-SFB






Flood light - 50W

Model Number: LED-1571

Photometrics


Peak Intensity: 1257 cd Located at Horizontal Angle = -1 Vertical Angle = 1



— Vertical Axial Candela
 — Horizontal Axial Candela

LED-1571


Peak Intensity: 1257 cd Located at Horizontal Angle = -1 Vertical Angle = 1



— Vertical Axial Candela
 — Horizontal Axial Candela

LED-1571 T2


Peak Intensity: 1257 cd Located at Horizontal Angle = -1 Vertical Angle = 1



— Vertical Axial Candela
 — Horizontal Axial Candela

LED-1571 VS

Peak Intensity: 4103 cd Located at Horizontal Angle = 70 Vertical Angle = 70



— 0° - 180°
 — Horizontal Cone Through Vertical Angle

LED-1571 T3

Also available:
 - LED-1571-SFS (Knuckle mount)
 - LED-1571-PM (Post mount)

